
WORKSTATION COMPONENTS






MADE BY PROFESSIONALS FOR PROFESSIONALS

OUR MISSION WAS SIMPLE – Design a workstation that AUTOMOTIVE industry technicians & SERVICE PROFESSIONALS will feel they designed themselves.

BORROUGHS AUTOMOTIVE WORKSTATIONS meet every need you have, and every need you will have. Our automotive workstations are ruggedly durable, easily customizable, and shockingly affordable.



WORKSTATION COMPONENTS

OUR TECHNICAL SUPPORT TEAM is always available to assist you in the configuration of any Borroughs workstation. With that in mind, the following pages contain key components that make up the majority of today's service workstations, and the easy, step-by-step process to build your own.



DRAWER CABINETS

- 400 lb. capacity w/ 110% full extension for full access to back of drawer.
- -• Auto-safety clips lock the suspension to the drawer, preventing accidental release.
- All drawers are supplied with a black, polyester mesh liner.
- Ergonomic handles are flush with housing, full-width, and are located at the top of each drawer
- Drawers are perfect for tool and/or bulk storage.



LIFT CONTROL CABINETS

- All cabinets feature 6" x 12" knock-out panels located on back and bottom of cabinet for easy field-access to utility hook-ups.
- Available in three (3) styles:
- **Rotary Inbay Lift Control Challenger** Lift Control Rotary Shockwave Lift Control

Note: Knock-outs are not in the bottom pan of 2338"D cabinets.



CART/TRASH GARAGES

- Provides open-base access for the storage of mobile products like service carts and trash containers.
- · Features a lockable swing door for security.
- Available in two (2) styles:

Full-Sided Garage cabinet that is available with either a stainless leg base or a fork truck base.

Single-Sided Garage is a welded frame that supports the door and is attached to adjacent cabinets.



Questions to ask when building your workstation



Which components will I need?

• Will your techs use a dual workstation?


• How much tool space is needed?


- How much space is available?
 - Where are utilities located (overhead or under)?
- What type of lift control do you use?











Questions? Would you like to place an order? Call us today at 1-800-748-0227. Our customer service reps. are available M-F, 8am -5pm EST



REEL CABINETS

- Offers integrated, easy-access to power, liquids, or air hose reels.
- All units feature 6" x 12" knock-out panels located on back and bottom of cabinet for easy field-access to utility hook-ups.
- All hose ends are recessed into the cabinet face eliminating aisle protrusions.
- Includes cabinet face roller guides, for faster and easier reel use.
- Includes a drip tray with a removable liquid absorbing insert for easy cleaning.



SHELF CABINETS


- Includes (1) bottom shelf and (1) adjustable shelf.
- Swing doors are reinforced to provide security for bulky items stored on shelves.
- Unique die-cast pull handle with a —— 3-point locking system.



OIL RECEIVER GARAGE


- Cabinet that features an open bottom and a lockable swing door.
- Provides open-base access for the storage of a mobile oil waste receiver.
- Stand-alone unit located adjacent to the work surface.
- Features an adjustable shelf located just above the oil receiver.






Do I need Reel Cabinets?

- How much space is available?
- Do I need trash/cart space?



Do I need Shelf Cabinets?

- Do I need space for larger items?
- Do I need storage for oil refuse?



WORKSTATION COMPONENTS





WORK SURFACES

- Installed with a 3/4" overhang at front edge of the lower cabinets.
- All work surfaces measure 30"D x 1^{5/8}" thick.
- All work surfaces are flush at the rear, and have a solid wood core.
- Available in three (3) styles all constructed from 16-gauge steel:
- * Tapered Stainless Steel Top Stainless Steel Top Painted Steel Top

RISER FRAMES

- Designed to support the upper cabinets without requiring cantilevered support, requires minimal fasteners to assemble, while providing a clear-open work area underneath.
- Heavy-duty framework mounts to panels at each end of the work surface and to a rear chase panel at back.
- Panel in panel end design provides clean aesthetics that covers the attachment fasteners.
- Open channel-frame provides for hidden cable management.
- Available in three (3) styles:

Riser Frame Tapered (This option is only applicable to the tapered work surface) Riser Frame Stainless Riser Frame Painted



What type of Work Surface?

• Do you need electric, or USB data inputs?



Do I need Riser Frames?


• Do I need support for upper cabinets?

0 0

ĦΠ

• Do I need a chase panel?

EO



Questions? Would you like to place an order? Call us today at 1-800-748-0227. Our customer service reps. are available M-F, 8am -5pm EST



UPPER CABINETS

- Strongest and most spacious upper cabinets in the industry measuring 18"D x 19"H.
- Tip-up, slide-in doors mounted to "rack & pinion" slides provide single-hand operation.
- Soft-close with built-in dampers, helps longevity of cabinets.
- Can be mounted easily atop riser frame or can be wall-mounted.

Optional Computer Support Arm Kit. Optional Undercounter Task Lighting Kit.



STAINLESS STEEL LEGS

- Provides a work surface height of 41^{5/8}".
- Each stainless steel leg can be adjusted vertically to provide system leveling.
- Allows for cleaning of liquid prone areas.



STAINLESS STEEL KICK-PLATES

• Optional 14-gauge stainless steel kick-plates can be **ordered separately** to cover the stainless steel leg bases.



FORK TRUCK BASE

- Provides a work surface height of 38^{5/8}".
- Economic alternative to adjustable leg bases.
- A snap-in cover completes the assembly, providing a clean aesthetic.


Do I need Upper Cabinet Storage?

- Are uppers mounted to a wall or riser?
- Do I need computer monitor storage?



What working height & color?

- Do I want stainless steel legs (SL)?
- Do I want fork truck bases (FT)?
- What color should I order?



1 **DRAWER CABINETS**

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.

4 4

4

6


8

10


П

23" Wide Cabinets





NOTE: STAINLESS STEEL LEG BASES HAVE A HEIGHT OF 40".



4 4


4

4 5

5




A1-232940FT-MD06BM



A1-232940FT-MD08AM

A1-232940FT-MD07AM



6

6

6

ç

A1-232940FT-MD05BM

ла а	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Taw	Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
۵.	Drawer Size		Small			Medi	um		Large							

4 5


5 5

5

6

6

30" Wide Cabinets



A1-302940FT-MD05BM





A1-302940FT-MD05FM


1 A1-302940FT-MD04DM

1 DRAWER CABINETS

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.


45" Wide Cabinets





er	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
raw	Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
	Drawer Size		Small			Medi	um		Large							

60" Wide Cabinets



NOTE: STAINLESS STEEL LEG BASES HAVE A HEIGHT OF 40".

10 BASE OPTIONS

Stainless Steel Kick-Plates (OPTIONAL FEATURE USED WITH STAINLESS STEEL LEG BASE)




A1-23SKP (23W Face)	A1-60SKP (60W Face)
A1-30SKP (30W Face)	A1-29SKPE (Ends)
A1-45SKP (45W Face)	A1-30SKPD (30W Garage)

2 LIFT CONTROL CABINETS

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.





Knock-outs in the back & bottom of unit provide easy access for utility hook-ups.

TRASH/CART GARAGES 3

	Part#		Width x Depth x Height
88 g	A1-232940FT-RSW	Lift Control Cabinet Rotary Shockwave Fork Truck Base	22 ^{13/16} "x 29 ^{1/4} "x 37"
	A1-232940SL-RSW	Lift Control Cabinet Rotary Shockwave Stainless Leg Base	22 ^{13/16} "x 29 ^{1/4} "x 40"
	A1-232340FT-RIB	Lift Control Cabinet Rotary InBay Fork Truck Base	22 ^{13/16} "x 23 ^{3/8} "x 37"
Da	A1-232340SL-RIB	Lift Control Cabinet Rotary InBay Stainless Leg Base	22 ^{13/16} "x 23 ^{3/8} "x 40"
	A1-232940FT-RIB	Lift Control Cabinet Rotary InBay Fork Truck Base	22 ^{13/16} "x 29 ^{1/4} "x 37"
	A1-232940SL-RIB	Lift Control Cabinet Rotary InBay Stainless Leg Base	22 ^{13/16} "x 29 ^{1/4} "x 40"
	A1-232340FT-CHL	Lift Control Cabinet Challenger Fork Truck Base	22 ^{13/16} "x 23 ^{3/8} "x 37"
• .0	A1-232340SL-CHL	Lift Control Cabinet Challenger Stainless Leg Base	22 ^{13/16} "x 23 ^{3/8} "x 40"
	A1-232940FT-CHL	Lift Control Cabinet Challenger Fork Truck Base	22 ^{13/16} "x 29 ^{1/4} "x 37"
	A1-232940SL-CHL	Lift Control Cabinet Challenger Stainless Leg Base	22 ^{13/16} "x 29 ^{1/4} "x 40"

	A1-MWC (other colors available)	MOBILE WASTE CART	22"Dia. x 34 ^{7/8} "H
Single sided pictured here.	A1-3040-SSG	Single Sided Garage (No Base)	30" x 6 ^{1/4} " x 40"
4	A1-302940SL-FSG	Full Sided Garage - Stainless Leg Base	30" x 29 ^{1/4} " x 40"
	A1-302940FT-FSG	Full Sided Garage - Fork Truck Base	30" x 29 ^{1/4} " x 37"
	 Part#		Width x Depth x Height

REEL CABINETS 4

	Part#		Width x Depth x Height
A CONTRACTOR OF	A1-232940FT-2RL	2-Reel Cabinet Fork Truck Base	22 ^{13/16} " x 29 ^{1/4} " x 37"
	A1-232940SL-2RL	2-Reel Cabinet Stainless Leg Base	22 ^{13/16} " x 29 ^{1/4} " x 40"
	A1-302940FT-3RL	3-Reel Cabinet Fork Truck Base	30" x 29 ^{1/4} " x 37"
	A1-302940SL-3RL	3-Reel Cabinet Stainless Leg Base	30" x 29 ^{1/4} " x 40"
	A1-452940FT-4RL	4-Reel Cabinet Fork Truck Base	45 ^{3/16} " x 29 ^{1/4} " x 37"
6" x12"	A1-452940SL-4RL	4-Reel Cabinet Stainless Leg Base	45 ^{3/16} " x 29 ^{1/4} " x 40"
Knock-outs in the back &			

42

bottom of unit provide easy access for utility hook-ups. Questions? Would you like to place an order? Call us today at 1-800-748-0227. Our customer service reps. are available M-F, 8am -5pm EST

with door

A1-232940FT-S2FHDN

A1-302940FT-S2FHDN

A1-452940FT-S2FHDN

SHELF CABINETS 5

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.



Note: Stainless steel leg bases have a height of 40".






KICK-PLATES



FORK TRUCK BASE (FT)




37"h


23" Shelf Cabinets




45" Shelf Cabinets



60" Shelf Cabinets








A1-232940FT-S2NDNN

without door

A1-302940FT-S2NDNN



A1-452940FT-S2NDNN



A1-602940FT-S2NDNN

OIL RECEIVER GARAGE 6




Part#		Width x Depth x Height
A1-302968FT-ORG	Oil Receiver Garage Fork Truck Base	30" x 29 ^{1/4} " x 59"
A1-302968SL-ORG	Oil Receiver Garage Stainless Leg Base	30" x 29 ^{1/4} " x 62"

7 WORK SURFACES



TAPERED STAINLESS STEEL

* If a riser frame is ordered it must use a painted riser with stainless steel tapered chase.







	—— 84"W -			
• • •		0	0	C

Sample configuration





Part#		Width x Depth x Height
A1-04630TSST	Tapered Stainless Top Kit	46" x 30" x 1 ^{5/8} "
A1-05430TSST	Tapered Stainless Top Kit	54" x 30" x 1 ^{5/8} "
A1-06130TSST	Tapered Stainless Top Kit	61" x 30" x 1 ^{5/8} "
A1-06930TSST	Tapered Stainless Top Kit	69" x 30" x 1 ^{5/8} "
A1-07630TSST	Tapered Stainless Top Kit	76" x 30" x 1 ^{5/8} "
A1-08430TSST	Tapered Stainless Top Kit	84" x 30" x 1 ^{5/8} "
A1-09230TSST	Tapered Stainless Top Kit	92" x 30" x 1 ^{5/8} "
A1-09930TSST	Tapered Stainless Top Kit	99" x 30" x 1 ^{5/8} "
A1-10630TSST	Tapered Stainless Top Kit	106" x 30" x 1 ^{5/8} "
A1-11430TSST	Tapered Stainless Top Kit	114" x 30" x 1 ^{5/8} "
A1-12230TSST	Tapered Stainless Top Kit	122" x 30" x 1 ^{5/8} "
A1-12930TSST	Tapered Stainless Top Kit	129" x 30" x 1 ^{5/8} "
A1-13730TSST	Tapered Stainless Top Kit	137" x 30" x 1 ^{5/8} "
A1-14430TSST	Tapered Stainless Top Kit	144" x 30" x 1 ^{5/8} "

Stainless Top Kit	46" x 30" x 1 ^{5/8} "
Stainless Top Kit	54" x 30" x 1 ^{5/8} "
Stainless Top Kit	61" x 30" x 1 ^{5/8} "
Stainless Top Kit	69" x 30" x 1 ^{5/8} "
Stainless Top Kit	76" x 30" x 1 ^{5/8} "
Stainless Top Kit	84" x 30" x 1 ^{5/8} "
Stainless Top Kit	92" x 30" x 1 ^{5/8} "
Stainless Top Kit	99" x 30" x 1 ^{5/8} "
Stainless Top Kit	106" x 30" x 1 ^{5/8} "
Stainless Top Kit	114" x 30" x 1 ^{5/8} "
Stainless Top Kit	122" x 30" x 1 ^{5/8} "
Stainless Top Kit	129" x 30" x 1 ^{5/8} "
Stainless Top Kit	137" x 30" x 1 ^{5/8} "
Stainless Top Kit	144" x 30" x 1 ^{5/8} "
	Stainless Top Kit Stainless Top Kit

M1-04630PST	Painted Steel Top Kit	46" x 30" x 1 ^{5/8} "
M1-05430PST	Painted Steel Top Kit	54" x 30" x 1 ^{5/8} "
M1-06130PST	Painted Steel Top Kit	61" x 30" x 1 ^{5/8} "
M1-06930PST	Painted Steel Top Kit	69" x 30" x 1 ^{5/8} "
M1-07630PST	Painted Steel Top Kit	76" x 30" x 1 ^{5/8} "
M1-08430PST	Painted Steel Top Kit	84" x 30" x 1 ^{5/8} "
M1-09230PST	Painted Steel Top Kit	92" x 30" x 1 ^{5/8} "
M1-09930PST	Painted Steel Top Kit	99" x 30" x 1 ^{5/8} "
M1-10630PST	Painted Steel Top Kit	106" x 30" x 1 ^{5/8} "
M1-11430PST	Painted Steel Top Kit	114" x 30" x 1 ^{5/8} "
M1-12230PST	Painted Steel Top Kit	122" x 30" x 1 ^{5/8} "
M1-12930PST	Painted Steel Top Kit	129" x 30" x 1 ^{5/8} "
M1-13730PST	Painted Steel Top Kit	137" x 30" x 1 ^{5/8} "
M1-14430PST	Painted Steel Top Kit	144" x 30" x 1 ^{5/8} "

8 RISER FRAMES



PAINTED RISER FRAME WITH STAINLESS STEEL TAPERED CHASE



Sample configuration



PAINTED RISER FRAME WITH STAINLESS STEEL CHASE



Sample configuration



Sample configuration

Part#		Width x Depth x Height			
A1-048RFTS	Riser Frame Tapered Stainless Kit	48" x 18" x 19"			
A1-054RFTS	Riser Frame Tapered Stainless Kit	54" x 18" x 19"			
A1-060RFTS	Riser Frame Tapered Stainless Kit	60" x 18" x 19"			
A1-072RFTS	Riser Frame Tapered Stainless Kit	72" x 18" x 19"			
A1-084RFTS	Riser Frame Tapered Stainless Kit	84" x 18" x 19"			
A1-090RFTS	Riser Frame Tapered Stainless Kit	90" x 18" x 19"			
A1-096RFTS	Riser Frame Tapered Stainless Kit	96" x 18" x 19"			
A1-102RFTS	Riser Frame Tapered Stainless Kit	102" x 18" x 19"			
A1-108RFTS	Riser Frame Tapered Stainless Kit	108" x 18" x 19"			
A1-114RFTS	Riser Frame Tapered Stainless Kit	114" x 18" x 19"			
A1-120RFTS	Riser Frame Tapered Stainless Kit	120" x 18" x 19"			
A1-126RFTS	Riser Frame Tapered Stainless Kit	126" x 18" x 19"			
A1-132RFTS	Riser Frame Tapered Stainless Kit	132" x 18" x 19"			
A1-144RFTS	Riser Frame Tapered Stainless Kit	144" x 18" x 19"			
* This option is only applicable to the Tapered Work Surface.					

A1-048RFS	Riser Frame Stainless Kit	48" x 18" x 19"
A1-054RFS	Riser Frame Stainless Kit	54" x 18" x 19"
A1-060RFS	Riser Frame Stainless Kit	60" x 18" x 19"
A1-072RFS	Riser Frame Stainless Kit	72" x 18" x 19"
A1-084RFS	Riser Frame Stainless Kit	84" x 18" x 19"
A1-090RFS	Riser Frame Stainless Kit	90" x 18" x 19"
A1-096RFS	Riser Frame Stainless Kit	96" x 18" x 19"
A1-102RFS	Riser Frame Stainless Kit	102" x 18" x 19"
A1-108RFS	Riser Frame Stainless Kit	108" x 18" x 19"
A1-114RFS	Riser Frame Stainless Kit	114" x 18" x 19"
A1-120RFS	Riser Frame Stainless Kit	120" x 18" x 19"
A1-126RFS	Riser Frame Stainless Kit	126" x 18" x 19"
A1-132RFS	Riser Frame Stainless Kit	132" x 18" x 19"
A1-144RFS	Riser Frame Stainless Kit	144" x 18" x 19"

A1-048RFP	Riser Frame Painted Kit	48" x 18" x 19"
A1-054RFP	Riser Frame Painted Kit	54" x 18" x 19"
A1-060RFP	Riser Frame Painted Kit	60" x 18" x 19"
A1-072RFP	Riser Frame Painted Kit	72" x 18" x 19"
A1-084RFP	Riser Frame Painted Kit	84" x 18" x 19"
A1-090RFP	Riser Frame Painted Kit	90" x 18" x 19"
A1-096RFP	Riser Frame Painted Kit	96" x 18" x 19"
A1-102RFP	Riser Frame Painted Kit	102" x 18" x 19"
A1-108RFP	Riser Frame Painted Kit	108" x 18" x 19"
A1-114RFP	Riser Frame Painted Kit	114" x 18" x 19"
A1-120RFP	Riser Frame Painted Kit	120" x 18" x 19"
A1-126RFP	Riser Frame Painted Kit	126" x 18" x 19"
A1-132RFP	Riser Frame Painted Kit	132" x 18" x 19"
A1-144RFP	Riser Frame Painted Kit	144" x 18" x 19"

9 UPPER CABINETS

	Part#		Width x Depth x Height
	A1-241819UPC	Upper Cabinet	24" x 18" x 19"
	A1-301819UPC	Upper Cabinet	30" x 18" x 19"
	A1-361819UPC	Upper Cabinet	36" x 18" x 19"
	A1-481819UPC	Upper Cabinet	48" x 18" x 19"
Sample configuration	A1-601819UPC	Upper Cabinet	60" x 18" x 19"

*Upper Cabinets can also be mounted to wall, rather than using riser frame.

COMPUTER SUPPORT ARM



- A1-CSA
 - Designed to support a laptop or a computer keyboard and mouse.
 - Can be located under upper cabinet or under riser.

PIVOTING MEDALLION LIGHT

- A1-UTLS Starter Unit A1-UTLA Adder Unit
- * Each Starter can support up to (5) Adder Units
- Streamlined LED Lighting.
 - Ability to pivot for angled lighting.
 - Mounts magnetically (no screws).
 - 24" in length.

10 BASE OPTIONS

STAINLESS STEEL KICK-PLATES (Optional feature used with stainless steel leg base)



A1-23SKP (23W Face)	A1-60SKP (60W Face)
A1-30SKP (30W Face)	A1-29SKPE (Ends)
A1-45SKP (45W Face)	A1-30SKPD (30W Garage)

Questions? Would you like to place an order? Call us today at 1-800-748-0227. Our customer service reps. are available M-F, 8am -5pm EST




Borroughs automotive workstations were chosen for Trotter Ford Lincoln's new service and quick lane deaprtments in Pine Bluff, Arkansas.



MOBILE CABINETS

MOBILE COMBINATION CABINETS




Questions? Would you like to place an order? Call us today at 1-800-748-0227. Our customer service reps. are available M-F, 8am -5pm EST

COMBINATION CABINETS

- · Progressive operation provides for the smoothest operating drawers in the industry.
- 400 lb. capacity w/ 110% full extension for full access to back of drawer.
- Auto-safety clips lock the suspension to the drawer, preventing accidental release.
- · All drawers are supplied with a black, non-slip liner.

45" Wide Cabinets

- Full-Width Top Drawers (45W)
- Left-Side Drawers (23W)
- Right-Side Drawers (23W)
- Multiple drawer access standard.
- · Locks are keyed-alike.



A1-C452949FT-MD13AM

11


A1-C452968FT-MD17AM

er	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
raw	Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
ο.	Drawer Size		Small			Medi	um					Lar	ge			

6

60" Wide Cabinets

- Full-Width Top Drawers (60W) • Left-Side
- Drawers (23W) Right-Side
- Drawers (37W)
- · Multiple drawer access standard.
- Locks are keyed-alike.





• FORK TRUCK (FT) BASE AND COVERS STANDARD.

6

A1-C452940FT-MD13AM


• FOR STAINLESS STEEL LEGS, REPLACE (FT) WITH (SL).

44"h

59"h


MODULAR DRAWER CABINETS: 23" WIDE

STAND UP HEIGHT (22^{13/16}"W x 29^{1/4}"D x 37"H)




BEST IN CLASS FEATURES & FUNCTION

BENCH HEIGHT (22^{13/16}"W x 29^{1/4}"D x 33"H)




e	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
rav	Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
Δ.	Drawer Size		Small			Medi	um					Lar	ge			

TABLE HEIGHT (22^{13/16}"W x 29^{1/4}"D x 30"H)




DESK HEIGHT (22^{13/16}"W x 29^{1/4}"D x 27"H)




MODULAR DRAWER CABINETS: 30" WIDE


EYE LEVEL HEIGHT (30"W x 29^{1/4}"D x 59"H)



COUNTER HEIGHT (30"W x 291/4"D x 44"H)



STAND UP HEIGHT (30"W x 291/4"D x 37"H)



• 29^{1/4}" STANDARD DEPTH

& ARE KEYED DIFFERENT

• FORK TRUCK BASE WITH MULTIPLE DRAWER ACCESS

PARTITIONS AND DIVIDERS FACTORY INSTALLED

BENCH HEIGHT (30"W x 291/4"D x 33"H)








TABLE HEIGHT (30"W x 291/4"D x 30"H)




er.	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
raw	Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
	Drawer Size		Small			Medi	um					Lar	ge			

DESK HEIGHT (30"W x 29^{1/4}"D x 27"H)



MODULAR DRAWER CABINETS: 45" WIDE

EYE LEVEL (45^{3/16}"W x 29^{1/4}"D x 59"H)







ALL BORROUGHS PRE-CONFIGURED CABINETS FEATURE:

- 29^{1/4}" STANDARD DEPTH
- FORK TRUCK BASE WITH MULTIPLE DRAWER ACCESS & ARE KEYED DIFFERENT
- PARTITIONS AND DIVIDERS FACTORY INSTALLED

COUNTER HEIGHT (45^{3/16}"W x 29^{1/4}"D x 44"H)




STAND UP HEIGHT (45^{3/16}"W x 29^{1/4}"D x 37"H)



ŗ	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
raw.	e Usable Height	21/4"	31/16"	37/8"	4 ^{5/8} "	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
6	Drawer Size		Small			Medi	um					Lar	ge			

BENCH HEIGHT (45^{3/16}"W x 29^{1/4}"D x 33"H)




BASE OPTIONS

OPTION	ABINET BASE DESCRIPTION	 • Base options allow for customization. • Fork truck bases are 	• Mobile bases (pictured left) include -
NB	NO BASE	12 gauge providing	(2) rigid and
FT	FORK TRUCK	ease of transport for cabinets	(2) swivel casters with a brake.
M5	MOBILE BASE - 5" Dia.	while fully loaded. • Fork truck base	Mobile bases steel lea
M6	MOBILE BASE - 6" Dia.	includes (2) covers.	include push-pull handle.
SL	STAINLESS STEEL		
M1 -	30 29 68	FT - MD 09 E L	* MOBILE BASES ONLY AVAILABLE ON 40, 35, 31 AND 27 CABINET HEIGHTS.


• Pre-configured cabinets come standard with fork truck bases.

MODULAR DRAWER CABINETS: 60" WIDE


EYE LEVEL (60^{3/8}"W x 29^{1/4}"D x 59"H)




COUNTER HEIGHT (603/8"W x 291/4"D x 44"H)




STAND-UP HEIGHT (60^{3/8}"W x 29^{1/4}"D x 37"H)










2 compartments

5 6 6 6

32 compartments










1 compartment




10 compartments

9 compartments



20 compartments




Numbers along the top and side of each drawer interior configuration refer to a specific compartment size. The corresponding dimensions are represented in the chart running along the bottom of the page.




MODULAR DRAWER CABINETS: DRAWERS

DRAWER INTERIOR CONFIGURATIONS (251/8"W x 251/8"D CLEAR)



ele	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Tab	Drawer Front	31/16"	37/8"	45/8"	57/16"	63/16"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"	141/16"
awe	Usable Height	21/4"	31/16"	37/8"	45/8"	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
ā	Drawer Size		Small			Med	ium					Lar	rge			


DRAWER INTERIOR CONFIGURATIONS (401/4"W x 251/8"D CLEAR)



-	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Ē	Drawer Front	31/16"	37/8"	45/8"	57/16"	63/16"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"	1 4 ^{1/16} "
	Usable Height	21/4"	31/16"	37/8"	45/8"	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
È	Drawer Size		Small			Med	ium					Lar	ge			

MODULAR DRAWER CABINETS: DRAWERS

DRAWER INTERIOR CONFIGURATIONS (55^{3/8}"W x 25^{1/8}"D CLEAR)



-	Drawer Number	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Ē	Drawer Front	31/16"	37/8"	45/8"	57/16"	63/16"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"	141/16"
	Usable Height	21/4"	31/16"	37/8"	45/8"	57/16"	61/4"	7"	73/4"	89/16"	93/8"	101/8"	1015/16"	11 ^{3/4} "	121/2"	135/16"
ć	Drawer Size		Small			Med	ium					Lai	ge			

ADDITIONAL STORAGE PRODUCTS

SERVICE CARTS



The Service Cart is a mobile platform for technicians' tools and repair parts. Designed to fit under the work surface and behind a lockable garage, this cart can maneuver right where you need it.

PART#		WxDxH
A1-BSC	Basic Service Cart	22" x 24" x 34"
A1-BSCF	Basic Service Cart with 12" Flipup	22" x 24" x 34"
A1-BSCFH	Basic Service Cart with Flipup and Hardwood	22" x 24" x 34"
A1-BSCD2	Basic Service Cart with two Drawers	
A1-BSCFD2	Basic Service Cart with 12" Flipup Shelf and two Drawers	
A1-BSCHD2	Basic Service Cart with Hardwood Top and two Drawers	
A1-BSCFHD2	Basic Service Cart with 12" Flipup Shelf and Hardwood Top and two Drawers	

1 Drawer units available. Simply change part number on drawer units to reflect a 1 instead of 2 at the end.

4 - Swivel casters on non-marking impact resistant treads.

- 2 100 lb. capacity fixed (top & bottom) shelves.
- 1 100 lb. capacity adjustable (middle) shelf.







PARTS/SERVICE UTILITY CARTS

- 5" rubber tires with casters for easy going.
- Two shelves each 3.5" deep.
- Top shelf can be inverted for a tray style surface.
- Push-bar type handle for full control.

PART#		WxDxH
00160-043	Parts/Service Utility Cart	16"w x 30"d x 32"h
00240-043	Parts/Service Utility Cart	24"w x 30"d x 32"h

WALL MOUNTED STORAGE CABINET


PART#	DESCRIPTION
11114-000	Wall Mounted Storage Cabinet
11125-000	Angled Top Kit

- 36"w x 13"d x 27"h with swing doors.
- Key lock for security.
- Adjustable center shelf.
- Stores binders, reduces clutter.
- Mounts conveniently over tech bench.
- Optional angle top.



GET MORE FROM BORROUGHS

BORROUGHS' PROPRIETARY DESIGN SOFTWARE, CONFIGURA®, makes planning and approving designs simple. Configura ties together many factors that are key to a successful project. AutoCAD drawings can be imported into or exported out of Configura. Customers can see how everything comes together before production, viewing updated costs in real-time as designs are created and modified. Incorporating this tool allows Borroughs to design and layout a COMPLETE dealership or repair shop and provide a 3D rendering. This takes the guess work out of a project, giving our customers a more accurate and detailed description prior to their purchase.







Left: Configura software allows you to place and change various components to layout the workstation exactly how you need it.

Above: After the layout is complete, Configura will produce photorealistic renderings allowing Borroughs and its dealers to easily change perspective and colors, accurately reflecting your purchase.

Below: With Configura, Borroughs is able to layout a **complete** dealership from parts, service and even file storage.

